BRAIN RESEARCH

VOL. 662 NOS. 1/2 **CONTENTS** **31 OCTOBER 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the Submission of Manuscripts v

Research reports

Pituitary adenylate cyclase-activating polypeptide (PACAP) mobilizes intracellular free calcium in cultured rat type-2, but not type-1, astrocytes
I. Tatsuno and A. Arimura (USA, Japan) 1

Evidence for volume transmission in the dopamine denervated neostriatum of the rat after a unilateral nigral 6-OHDA microinjection. Studies with systemic D-amphetamine treatment
B. Bjelke, I. Strömberg, W.T. O'Connor, B. Andbjer, L.F. Agnati and K. Fuxe (Sweden, Italy) 11

Effect of codeine on the inspiratory and expiratory burst pattern during fictive cough in cats
D.C. Bolser and F.C. DeGennaro (USA) 25

Spontaneous activity of first- and second-order neurons in the frog olfactory system
J.-P. Rospars, P. Lánský, J. Vaillant, P. Duchamp-Viret and A. Duchamp (France, Czech Republic) 31

Immunohistochemical mapping of angiotensin type 2 (AT_2) receptors in rat brain
L.P. Reagan, L.M. Flanagan-Cato, D.K. Yee, L.-Y. Ma, R.R. Sakai and S.J. Fluharty (USA) 45

An electrophysiological and immunohistochemical study of the hippocampus of the reeler mutant mouse
A. Ishida, K. Shimazaki, T. Terashima and N. Kawai (Japan) 60

Motor fluctuations in levodopa treated parkinsonian rats: relation to lesion extent and treatment duration
S.M. Papa, T.M. Engber, A.M. Kask and T.N. Chase (USA) 69

Differential effects of polychlorinated biphenyl congeners on phosphoinositide hydrolysis and protein kinase C translocation in rat cerebellar granule cells
P.R.S. Kodavanti, T.J. Shafer, T.R. Ward, W.R. Mundy, T. Freudenrich, G.J. Harry and H.A. Tilson (USA) 75

Evidence that Ca^{2+}-activated K^+ channels participate in the regulation of pituitary prolactin secretion
X. Wang, T. Inukai, M.A. Greer and S.E. Greer (USA) 83

The vascular response to nerve transection: neovascularization in the silicone nerve regeneration chamber
R.J. Podhajsky and R.R. Myers (USA) 88

Serotonin depletion decreases the therapeutic effect of nicotine, but not THA, in medial septal-lesioned rats
P. Riekkinen Jr., J. Sirviö and M. Riekkinen (Finland) 95

NMDA receptors in layers II and III of rat cerebral cortex
S.N. Currie, X.F. Wang and N.W. Daw (USA) 103

The role of calcium and cAMP in the mechanism of action of two melanocortins: αMSH and the $ACTH_{4-9}$ analogue Org 2766
E.M. Hol, M. Verhage, W.H. Gispen and P.R. Bär (Netherlands) 109

Effects of prenatal malnutrition and postnatal nutritional rehabilitation on CA3 hippocampal pyramidal cells in rats of four ages
S. Díaz-Cintra, M. García-Ruiz, G. Corkidi and L. Cintra (México) 117

A midline area in the nucleus commissuralis of NTS mediates the phrenic nerve responses to carotid chemoreceptor stimulation
V.C. Chitravanshi, A. Kachroo and H.N. Sapru (USA) 127

Lesions of the pedunculopontine tegmental nucleus abolish catalepsy and locomotor depression induced by morphine
M.C. Olmstead and K.B.J. Franklin (Canada) 134

Differential modulation of α_2-adrenergic and opioid spinal antinociception by cholecystokinin and cholecystokinin antagonists in the rat dorsal horn: an electrophysiological study
A.F. Sullivan, K. Hewett and A.H. Dickenson (UK) 141

An in vivo study of the effect of 5-HT and sympathetic nerves on transferrin and transthyretin mRNA expression in rat choroid plexus and meninges
P. Blay, C. Nilsson, S. Hansson, C. Owman, A.R. Aldred and G. Schreiber (Sweden, Australia) 148

Basal forebrain control of cortical blood flow and tissue gases in conscious aged rats
R. Sercombe, P. Lacombe, V. Springhetti, E.T. MacKenzie and J. Seylaz (France) 155

Fos synthesis in identified magnocellular neurons varies with phenotype, stimulus, location in the hypothalamus and reproductive state
V.S. Fénelon, D.T. Theodosis and D.A. Poulain (France) 165

The effects of interleukin 1β on the hypothalamic tachykinin, neurokinin A
P.S. Kalra, M.G. Dube and S.P. Kalra (USA) 178

The endogenous substrate of low molecular weight acid phosphatase in the brain is an epidermal growth factor receptor
S. Shimohama, S. Fujimoto, T. Taniguchi and J. Kimura (Japan) 185

(contents continued on p. 300)

0006-8993(19941031)662:1/2;1-M

BRAIN RESEARCH

VOL. 662 NOS. 1/2 **CONTENTS** **31 OCTOBER 1994**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the Submission of Manuscripts v

Research reports

Pituitary adenylate cyclase-activating polypeptide (PACAP) mobilizes intracellular free calcium in cultured rat type-2, but not type-1, astrocytes
I. Tatsuno and A. Arimura (USA, Japan) 1

Evidence for volume transmission in the dopamine denervated neostriatum of the rat after a unilateral nigral 6-OHDA microinjection. Studies with systemic D-amphetamine treatment
B. Bjelke, I. Strömberg, W.T. O'Connor, B. Andbjer, L.F. Agnati and K. Fuxe (Sweden, Italy) 11

Effect of codeine on the inspiratory and expiratory burst pattern during fictive cough in cats
D.C. Bolser and F.C. DeGennaro (USA) 25

Spontaneous activity of first- and second-order neurons in the frog olfactory system
J.-P. Rospars, P. Lánský, J. Vaillant, P. Duchamp-Viret and A. Duchamp (France, Czech Republic) 31

Immunohistochemical mapping of angiotensin type 2 (AT_2) receptors in rat brain
L.P. Reagan, L.M. Flanagan-Cato, D.K. Yee, L.-Y. Ma, R.R. Sakai and S.J. Fluharty (USA) 45

An electrophysiological and immunohistochemical study of the hippocampus of the reeler mutant mouse
A. Ishida, K. Shimazaki, T. Terashima and N. Kawai (Japan) 60

Motor fluctuations in levodopa treated parkinsonian rats: relation to lesion extent and treatment duration
S.M. Papa, T.M. Engber, A.M. Kask and T.N. Chase (USA) 69

Differential effects of polychlorinated biphenyl congeners on phosphoinositide hydrolysis and protein kinase C translocation in rat cerebellar granule cells
P.R.S. Kodavanti, T.J. Shafer, T.R. Ward, W.R. Mundy, T. Freudenrich, G.J. Harry and H.A. Tilson (USA) 75

Evidence that Ca^{2+}-activated K^+ channels participate in the regulation of pituitary prolactin secretion
X. Wang, T. Inukai, M.A. Greer and S.E. Greer (USA) 83

The vascular response to nerve transection: neovascularization in the silicone nerve regeneration chamber
R.J. Podhajsky and R.R. Myers (USA) 88

Serotonin depletion decreases the therapeutic effect of nicotine, but not THA, in medial septal-lesioned rats
P. Riekkinen Jr., J. Sirviö and M. Riekkinen (Finland) 95

NMDA receptors in layers II and III of rat cerebral cortex
S.N. Currie, X.F. Wang and N.W. Daw (USA) 103

The role of calcium and cAMP in the mechanism of action of two melanocortins: αMSH and the $ACTH_{4-9}$ analogue Org 2766
E.M. Hol, M. Verhage, W.H. Gispen and P.R. Bär (Netherlands) 109

Effects of prenatal malnutrition and postnatal nutritional rehabilitation on CA3 hippocampal pyramidal cells in rats of four ages
S. Díaz-Cintra, M. García-Ruiz, G. Corkidi and L. Cintra (México) 117

A midline area in the nucleus commissuralis of NTS mediates the phrenic nerve responses to carotid chemoreceptor stimulation
V.C. Chitravanshi, A. Kachroo and H.N. Sapru (USA) 127

Lesions of the pedunculopontine tegmental nucleus abolish catalepsy and locomotor depression induced by morphine
M.C. Olmstead and K.B.J. Franklin (Canada) 134

Differential modulation of α_2-adrenergic and opioid spinal antinociception by cholecystokinin and cholecystokinin antagonists in the rat dorsal horn: an electrophysiological study
A.F. Sullivan, K. Hewett and A.H. Dickenson (UK) 141

An in vivo study of the effect of 5-HT and sympathetic nerves on transferrin and transthyretin mRNA expression in rat choroid plexus and meninges
P. Blay, C. Nilsson, S. Hansson, C. Owman, A.R. Aldred and G. Schreiber (Sweden, Australia) 148

Basal forebrain control of cortical blood flow and tissue gases in conscious aged rats
R. Sercombe, P. Lacombe, V. Springhetti, E.T. MacKenzie and J. Seylaz (France) 155

Fos synthesis in identified magnocellular neurons varies with phenotype, stimulus, location in the hypothalamus and reproductive state
V.S. Fénelon, D.T. Theodosis and D.A. Poulain (France) 165

The effects of interleukin 1β on the hypothalamic tachykinin, neurokinin A
P.S. Kalra, M.G. Dube and S.P. Kalra (USA) 178

The endogenous substrate of low molecular weight acid phosphatase in the brain is an epidermal growth factor receptor
S. Shimohama, S. Fujimoto, T. Taniguchi and J. Kimura (Japan) 185

(contents continued on p. 300)

0006-8993(19941031)662:1/2;1-M

(contents continued)

Impairment of integrin-mediated cell-matrix adhesion in oxidant-stressed PC12 cells
Z. Zhang, D.C. Turner, G.J. Drzewiecki, D.B. Hinshaw and P.A. Hyslop (USA) 189
Primary culture of circumventricular organs from the rat brain lamina terminalis
M. Jurzak, A.R. Müller, H.A. Schmid and R. Gerstberger (Germany) 198
Modulation of catecholamine turnover rate in brain regions of rats exposed prenatally to morphine
I. Vathy, A. Rimanoczy, R.C. Eaton and L. Katay (USA, Hungary) 209
Delayed treatment with 1,3-butanediol reduces loss of CA1 neurons in the hippocampus of rats following brief forebrain ischemia
N.R. Sims and S.L. Heward (Australia) 216
Altered 9-*O* acetylation of disialogangliosides in cerebellar Purkinje cells of the *nervous* mutant mouse
M. Yamamoto, G.A. Schwarting and J.E. Crandall (USA) 223
Changes in monoamine turnover in forebrain areas associated with masculine sexual behavior: a microdialysis study
B. Fumero, J.R. Fernandez-Vera, J.L. Gonzalez-Mora and M. Mas (Spain) 233

Short communications

Expression of c-fos mRNA after a mild focal cerebral ischemia in SOD-1 transgenic mice
H. Kamii, H. Kinouchi, F.R. Sharp, C.J. Epstein, S.M. Sagar and P.H. Chan (USA, Japan) 240
Neuron-specific human glutamate transporter: molecular cloning, characterization and expression in human brain
P. Shashidharan, G.W. Huntley, T. Meyer, J.H. Morrison and A. Plaitakis (USA, Germany) 245
Response of cytosolic Ca^{2+} to hypercapnic acidosis in cultured glomus cells of the adult rabbit carotid body
M. Sato (Japan) 251
Amantadine increases the extracellular dopamine levels in the striatum by re-uptake inhibition and by *N*-methyl-D-aspartate antagonism
K. Mizoguchi, H. Yokoo, M. Yoshida, T. Tanaka and M. Tanaka (Japan) 255
Flow cytometric analysis on cytotoxic action of amyloid β protein fragment 25–35 on brain neurons dissociated from the rats
K. Furukawa, Y. Oyama, L. Chikahisa, Y. Hatakeyama and N. Akaike (Japan) 259
Evidence for activation of NMDA receptors when memory function is reinstated in rats with glutamatergic temporal systems disrupted
T. Myhrer (Norway) 263
Single K^+ channels closed by light and opened by cyclic GMP in molluscan extra-ocular photoreceptor cells
T. Gotow, T. Nishi and H. Kijima (Japan) 268
Synthesis of heat shock proteins in cultured chick pineal cells
M.S. Wolfe and M. Zatz (USA) 273
An ultrastructural study of somal appositions in the suprachiasmatic nucleus and anterior hypothalamus of the rat
A.S. Elliott and A.A. Nunez (USA) 278
Actions of (±)-7-hydroxy-*N,N*-dipropylaminotetralin (7-OH-DPAT) on dopamine synthesis in limbic and extrapyramidal regions of rat brain
R.G. Booth, R.J. Baldessarini, E. Marsh and C.E. Owens (USA) 283
Rapid decrease in ATP content without recovery phase during glutamate-induced cell death in cultured spinal neurons
K. Tsuji, Y. Nakamura, T. Ogata, T. Shibata and K. Kataoka (Japan) 289
Glutamate and carnosine in the vestibular system of the frog
P. Panzanelli, P. Valli, D. Cantino and A. Fasolo (Italy) 293

Author index 297